

MICHAEL S. CAZZARI
Town Supervisor

ROBERT F. SCHANIL, JR.
Town Councilman
Deputy Supervisor

STEPHEN J. BARANOWSKI
Town Councilman
FRANK D. LOMBARDI
Town Councilman
SUZANNE MC DONOUGH
Town Councilwoman

TOWN OF CARMEL
TOWN HALL



60 McAlpin Avenue
Mahopac, New York 10541
Tel. (845) 628-1500 • Fax (845) 628-6836
www.ci.carmel.ny.us

ANN SPOFFORD
Town Clerk

KATHLEEN KRAUS
Receiver of Taxes

MICHAEL SIMONE
Superintendent of Highways
Tel. (845) 628-7474

TOWN BOARD WORK SESSION
Wednesday, May 11, 2022 7:00pm

Roll Call - Attendance

PLEDGE OF ALLEGIANCE - MOMENT OF SILENCE

Town Board Work Session:

- **Public Comment Three (3) Minutes Agenda Items Only**
 - **Review of Town Board Minutes April 20, & May 4, 2022**
1. Consider Request of Reappointment to the Town of Carmel Environmental Conservation Board
 2. Lake Casse Park District Advisory Board – Consider Request to Authorize Summer Part-Time Wage Rates – Life Guards and Gate Keepers for 2022 Season
 3. James Gilchrist, Director of Recreation & Parks - Consider Request to Authorize the Build Educational Nature Signage at Volz Park - Eagle Scout Candidate Raven Barksdale, Troop 371, Mahopac
 4. James Gilchrist, Director of Recreation & Parks – Consider Request to Accept Proposal for the Purchase and Installation of Wood Guiderail – Airport Park
 5. Richard Franzetti, PE, Town Engineer – Consider Request to Authorize Purchase and Installation of MF Air Compressors – CSD#7
 6. Richard Franzetti, PE, Town Engineer – Consider Request to Authorize Submission of Draft Annual MS4 Report
 7. Michael Simone, Highway Superintendent – Consider Request to Authorize Purchase from Highway Rehabilitation Corp. – NYS OGS Contract Award #23250, Group 31555, Contract # PC69537 for In-Place Recycling of Selected Town Roads
 8. Michael Simone, Highway Superintendent – Discussion of 2022 Capital Funding
- **Town Board Comments**
 - **Motion to Move into Executive Session**

Executive Session:

1. Litigation Update
2. Acquisition of Real Property

5/11/2022 Town Board Work Session Agenda Item #1

From: [Nick F](#)
To: [Terilli, Joanna](#); [Pasquerello, Anne](#)
Cc: [Trombetta, Rose](#); ECB Term Expiration
Subject: Monday, May 2, 2022 10:16:55 AM
Date:

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good morning Anne,
I hope you are doing well! Please find below my intent to remain on the ECB. Let me know if you have any questions.

Warm Regards,
Nick Fannin

Dear Supervisor **Cazzari** and Members of the Carmel Town Board,

I would sincerely appreciate your consideration regarding my interest in remaining a board member on the Environmental Conservation Board for the Town of Carmel in the position of Vice Chairman.

Over the past several years, I have continued to consider it an honor and privilege to serve the community in this capacity and hope my passion for environmental conservation, proper administration, and commitment to community growth serves as adequate credentials.

Thank you again and please don't hesitate to reach out to me with any questions.

Warm Regards,
Nick Fannin

--

Nicholas D. Fannin

5/11/2022 Town Board Work Session Agenda Item #2

From: [Stacey](#)
To: [Pasquerello, Anne](#)
Subject: Lake casse pay rates
Date: Thursday, April 21, 2022 7:56:46 PM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Anne

Here are the payrates for the upcoming season.

Lifeguards pay will be \$14 to \$18 per hour

Gate guard pay will be \$13 to \$18 per hour

Any questions please let me know.

Also, can we also have the residents list for the gate guard? Thank you

Terry Kelly



TOWN OF CARMEL RECREATION & PARKS DEPARTMENT
SYCAMORE PARK, 790 LONG POND ROAD
MAHOPAC, NEW YORK 10541

JAMES R. GILCHRIST, CPRP, DIRECTOR

TELEPHONE: (845) 628-7888 FAX: (845) 628-2820

EMAIL: carmelrecreation@ci.carmel.ny.us

WEB: <http://www.carmelny.org>

DATE: May 6, 2022

TO: Carmel Town Board
 Carmel Town Hall

FROM: James R. Gilchrist, CPRP
 Director, Recreation and Parks

SUBJECT: Eagle Scout Project – Nature Signs at Volz Park

Eagle Scout candidate Raven Barksdale, from Mahopac Troop 371, has proposed to build educational nature signage along the trails at Volz Park. The signs will be made out of pressure treated wood with laser engraved oak panels.

Attached is an outline Raven submitted for review at the Recreation and Parks Advisory Committee meeting on Thursday, May 5th. This proposal was reviewed and unanimously approved by all members.

Please add this to the May 11, 2022 Town Board work session agenda and contact me with any questions.

/nls
Attachment

Nature signs at Volz Park

Project Benefit

My project is to build nature signs in volz park. I plan to add educational signage along the trails because it would add points of interest. Volz park has a beautiful entrance with stone pillars and an iron gate, and its trails are well marked, however the public would benefit from nature signs wich would add a new dimension to their hiking experience. Building nature signs at the park would benefit the park and community wich uses it.

- Provide opportunity for the community to learn more about our local environment while actually in that environment
- Having signs to read would elongate and improve the hikers/walkers experience at the park
- They would add to the appeal of the park to local families by adding something children could find interesting and educational while on their hike
- Would add points of interest along the trail

Project Description

My plan is to make the signs out of pressure treated 4x4 posts and a waterproof treated wood plank for the display on the signs. The sign graphics would be laser engraved onto the oak panels and then waterproofed. The sign graphics in question will display an image of the specific part of the environment (lichens, red oak, white oak, ect.) alongside a blurb about the subject in question.



Componatates per sign

- **POST**
 - **pressure treated 4x4**
 - 3.5ft above ground, 2.5ft bellow
 - **Concrete**
- **SIGN FACE**
 - **Oak panel with design**
 - **Waterproofing sealer**

Materials

Protective gear:

Pack of heavy duty rubber gloves:

Amount: 1

Cost: \$20

Eye protection:

Already have

Equipment:

Post hole digger, Saw, screwdriver, hammer, wrench

Already have

Laser engraver

The school will let me use theirs

Clean up:

Garbage bags

Amount: 1

Cost: \$8.19

Other:

water for concrete

Will transport water in the buckets

Food:

Cost:\$70

Post: 3.5 ft above ground and 2.5 feet below ground

Wood post: 6.5 ft high pressure treated 4x4

Amount: 6

Cost: \$13.38 Total: \$93.66

Concrete: quikrete/ bag of cement. 2 bags per hole

Amount: 14

Cost: \$5.47 Total: \$76.58

Mixing Bucket:

Amount: 3

Cost: \$4.98 Total: \$14.94

Mixing Bucket Lid:

Amount: 3

Cost: \$2.48 Total: \$7.44

Wood stain:

Amount: 1
Cost: \$10.98

Sign face board: 12 x 9

Plank: .75 x 9.25 oak board

Amount: 7ft

Cost: \$10.98 Total: \$76.86

Wood sealant: olympic maximum

Amount: 1

Cost: \$38.98

Connect post to board

screws: 4 per post

Amount: 28

Cost: \$13.98

TOTAL COST: \$431.61

With 10% contingency added: \$474.77



Inspiration

The examples that I designed my signs on





TOWN OF CARMEL RECREATION & PARKS DEPARTMENT
SYCAMORE PARK, 790 LONG POND ROAD
MAHOPAC, NEW YORK 10541

JAMES R. GILCHRIST, CPRP, DIRECTOR


TELEPHONE: (845) 628-7888 FAX: (845) 628-2820

EMAIL: carmelrecreation@ci.carmel.ny.us

WEB: <http://www.carmelny.org>

DATE: May 3, 2022

TO: Carmel Town Board
Carmel Town Hall



FROM: James R. Gilchrist, CPRP 
Director, Recreation and Parks

SUBJECT: Request for Authorization to Install Wood Guiderail at Airport Park Parking Lot

I am requesting authorization to install a wood guiderail at the Airport Park parking lot. I have attached price proposals from three (3) vendors for your review; Vinco Builders LLC \$18,600.00, WBE Fence Company Inc. \$19,900.00, and McNamee Construction Corp. \$29,500.00. I have reviewed these estimates and recommend we use Vinco Builders LLC, who has submitted the lowest quote. There are sufficient funds in the 2022 Budget to cover this expense; line 7115.0020 General Fund, Airport Park Equipment.

This purchase requires a Resolution. Please add this to the May 11, 2022 Town Board Work Session agenda and contact me with any questions.

/ns
Attachments



NOTES:

1. ALL WOOD TO BE SEASONED NO.1 DOUGLAS FIR, SOUTHERN YELLOW PINE OR OTHER APPROVED STRUCTURAL LUMBER.
2. ALL WOOD TO BE TREATED WITH AN APPROVED WOOD PRESERVATIVE SUITABLE FOR INSTALLATION IN AND ADJACENT TO GROUND SURFACES.

WOOD GUIDERAIL DETAIL

(N.T.S.)



ESTIMATE

Date: 4/21/2022
 Customer ID: 22009
 Terms: Net 30

Vinco Builders LLC
 5 Veschi Lane S
 Mahopac NY 10541
 Phone: 845.520.9566
 Fax: 845.520.9567

Estimated To:
 Jim Gilchrist
 Town Of Carmel

Service Location:
 Airport Field
 Mahopac, NY 10541

Item	Description	Quantity	Unit	Unit Price	Total
1	Provide labor and equipment to install 520 LF wood post and rail system as per detail provided, 8" x 8" posts and 3" x 8' rail with lag bolts Excludes all material.	1	ls	\$18,600	\$ 18,600.00

Special Instructions
1: Make all checks payable to Vinco Builders LLC 2: Please include service location on your check.

Subtotal \$ 18,600.00
 Bonds 3.25%
 Total \$ 18,600.00

If you have any questions about this estimate, please contact
 Amos Dicob, Direct line: 845.206.2717 adicob@vincobuilders.com
Thank You For Your Business!

11 Deer Court
Brewster, NY 10509
Tel: (845) 279-5335

WBE Fence Company INC.

Email: wbefence@gmail.com

To: Town of Camel Recreation & Parks Dept

From: Benny Krasniqi

Attn: Nina

Phone: 845-628-7888

Page: 1

E-Mail: carmelrecreation@ci.carmel.ny.us

Date: March 30, 2022

Ref: *Carmel Airport Park
161-165 Hill St, Mahopac, NY*

ESTIMATE/CAP027

1. Install approximate 520 LF wood post and rail. Labor only

Total Job Cost: \$19,900.00



Construction Corp.

April 27, 2022

Town of Carmel
Recreations & Parks Dept.
790 Long Pond Road
Mahopac, NY 10540

Attn: Nina Kallmeyer
carmelrecreation@ci.carmel.ny.us

Re: Price Proposal; Carmel Airport Park

Dear Mrs. Kallmeyer,

McNamee Construction Corp. proposes the following price proposal for the Carmel Airport Park project:

- Labor Only to install approx. 520 LF post & necessary rails, including site restoration
 - o **Total Cost \$29,500.00 (approximately \$56.74/LF)**

This proposal includes labor only and all materials required are to be provided by the Town of Carmel.

Regards,

A handwritten signature in blue ink, appearing to be "D F MacNamee III", written over a horizontal line.

McNamee Construction Corp.
Daniel F. MacNamee III
President

Richard J. Franzetti, P.E.
Town Engineer




(845) 628-1500
(845) 628-2087
Fax (845) 628-7085

Office of the Town Engineer
60 McAlpin Avenue
Mahopac, New York 10541

MEMORANDUM

To: Carmel Town Board
From: Richard J. Franzetti P.E. Town Engineer
Date: May 4, 2022
Re: CSD #7 MF Air Compressors



Inframark, the operators for Carmel Sewer District # 7 (CSD 7), has advised the Engineering Department the need to replace the dated and problematic Atlas Copco GX4FF air compressors at the microfiltration plant. Both units are worn beyond repair and when they are in operation, they pass a significant amount of oil daily (~ 1,000 mL of oil per unit per week).

These units provide pressurized air to the CMF units during the actuation of valves or when they complete air intensive processes such as backwashes, alternating units, CIPs, maintenance washes, and running both CMFs simultaneously. Currently one (1) air compressor is currently out of service and second unit is operational, but based on evaluation from Atlas Copco service technicians, both compressors have reached their life expectancy and any further repair would only provide a short-term solution until new units can be installed.

Inframark has estimated the age of equipment to be replaced / repaired: 11 years (compressors were installed in 2011 based on reference serial numbers found on nameplate) and that the expected life expectancy of new equipment / repair: 10 years

Inframark has advised this Department that the air compressor system to be installed are only provided by lancono Inc. This Department therefore considers this particular manufacturer to be a sole source.

The Engineering Department received the attached two quotes:

- Option 1 ~ Purchase the units separately at a cost of \$8,050 plus installation. If we choose this option we run the risk of a significant cost increase to the Town based on the volatility of the industry. It would also increase the labor/overtime costs to the district, which have already exceeded approximately \$6k over the last 6 months.

- Option 2 ~ Purchase both units together at a cost of 17,850. The attached quote for this option includes installation for both resulting in a savings of \$3k.

In speaking with the Comptroller, there are insufficient funds in the operating budget for this request, as it was not included the 2022 budget requests. Therefore, we recommend Option 2, and a transfer of funds from the Unreserved Fund Balance to purchase both units together as the most cost-effective option for this purchase. The Comptroller will make the transfer upon authorization from the Board.

Please also note that the Town will get reimbursed 50% of the cost from the DEP as these units are for the microfiltration plant.

The final cost breakdown to the district would be as follows:

	Option 1	Option 2
Unit	\$8,050.00	\$14,600.00
Installation	\$2,980.00	\$2,980.00
Total	\$11,030.00	\$17,580.00
Reimbursement	(\$5,515.00)	(\$8,790.00)
Final cost	\$5,515.00	\$8,790.00

We therefore request authorization to proceed with this work as outlined.

TOWN OF CARMEL
ENGINEERING
REQUEST FOR PURCHASE OR REPAIR

District: CSD #7 - CMF

Inframark, LLC
2 Renwick Street
Newburgh, NY 12550
United States

T: +1 845 228 0460
www.inframark.com

Date of Request: 5/5/2022

Item requested: Two (2) ATLAS COPCO G4 145T AFF 208-230/460: 5HP ROTARY SCREW OIL INJECTED AIR COMPRESSOR, TANK MOUNTED, INTERGRATED DRYER &
One (1) MIKROPOR G150-ELM-US: MIST ELIMINATOR – OIL MIST REMOVAL & FILTRATION

Purpose of item: To replace the dated and problematic Atlas Copco GX4FF air compressors at the microfiltration plant at CSD#7. Both units are worn beyond repair and when they are in operation, they pass a significant amount of oil daily (~ 1,000 mL of oil per unit per week). The air compressors provide pressurized air to the CMF units during the actuation of valves or when they complete air intensive processes such as backwashes, alternating units, CIPs, maintenance washes, and running both CMFs simultaneously. One air compressor is currently out of service. The other is operational, but based on evaluation from Atlas Copco service technicians, both compressors have reached their life expectancy and any further repair would only provide a short-term solution until new units can be installed.

Estimated age of equipment to be replaced / repaired: 11 years (compressors were installed in 2011 based on reference serial numbers found on nameplate)

Estimated life expectancy of new equipment / repair: 10 years

Labor cost for installation and/or repair: \$2,980.00

INSTALLATION AND RIGGING OF 2 NEW COMPRESSORS, PIPE IN WITH COPPER PIPE, RUN DRAIN LINES, REMOVAL OF OLD COMPRESSORS. LABOR & MATERIALS

Vendor #1: Iacono Inc	Cost: \$14,600.00
Vendor #2: Airmatic Compressor – no longer services Putnam County	Cost:
Vendor #3: No other certified Altas Copco vendors service our region	Cost:

RE: Atlas Copco GX4FF air compressor service - initial visit quote request

Harris Goldberg <harrisg@iaconoinc.com>

Wed 4/20/2022 4:48 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>

 1 attachments (105 KB)

CARMEL SEWER DISTRICT QUOTE.pdf;

Frank,

Thank you for your time yesterday. As discussed, attached is a quote and below are some bullet points. If you need any more specific points to pass along just let me know and I will write it up for you.

I only quoted the oil injected compressors. The scroll is a lot more money and could end up requiring a bit more maintenance, if you do want a quote on those just let me know. I quoted a mist eliminator, which removes and filters oil. This would be an extra layer of protection from oil. Food grade oil is also an option for the oil injected, it would be a \$400 upcharge on the machine cost. This is a safer oil that can be consumed and is safer on surfaces. If would like us to do the install, let me know and I will have a tech work up a quote. Any questions or if anything else is needed let me know.

- THE EXSISTING COMPRESSORS ARE ON THEIR WAY OUT (PRETTY MUCH SHOT) AND ANY MORE REPAIRS AT THIS POINT ARE JUST BAND AIDS UNTILL THEY FAIL
- THE AMOUNT OF OIL LEAKING IS NOT A NORMAL AMOUNT – LITTLE TO NO OIL SHOULD BE LEAKING
- GX SERIES HAS BEEN DISCONTINUED & REPLACED WITH THE G SERIES, AN OPTIMIZED VERISON (QUOTED)
- 2 NEW OIL INJECTED COMPRESSORS WILL NOT LEAK OIL, IF THEY DO IT WILL BE EXTREMELY MINIMAL & DOWN THE ROAD – FOOD GRADE OIL IS AVAILABLE ON G4 (SLIGHT UPCHARGE), THIS IS A SAFER OIL THAT CAN BE CONSUMED/WILL NOT HARM SURFACES.
- 2 OIL FREE SCROLL COMPRESSORS MAY BE OVERKILL BUT WILL ELIMINATE OIL FROM THE SYSTEM COMPLETELY AFTER A PERIOD OF TIME – WILL NEED TO BE REPLACED EVERY 10 YEARS, AFTER 8,000 HOURS SERVICE IS AN ABOSLUTE MUST. OIL FREE WOULD NEED TO BE 2X10HP AND ARE SIGNIFICANTLY MORE EXPENSIVE.

Thanks!

Harris Goldberg
Area Manager – Iacono Inc.
CELL: 914-380-2950
OFFICE: 631-589-6303

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Monday, April 18, 2022 10:12 AM

To: Harris Goldberg <harrisg@iaconoinc.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

Yes, we can meet there.

Thank you,
Frank

From: [Esteves, Donna](#)
To: [Franzetti, Richard](#)
Cc: [Maxwell, Mary Ann](#)
Subject: FW: Atlas Copco GX4FF air compressor service - initial visit quote request
Date: Wednesday, May 4, 2022 1:27:32 PM
Attachments: [CARMEL SEWER DISTRICT QUOTE 1X.pdf](#)
[CARMEL SEWER DISTRICT QUOTE 2X FINAL_CSD7_AirCompressors.pdf](#)

Rich,

Please see attached request for the purchase of (2) air compressors for CSD7. There are *insufficient* funds in the operating budget for this request, as it was not included in the 2022 budget requests. The Engineering Department received the attached two quotes:

- Option 1 ~ Purchase the units separately at a cost of \$8,050 plus installation. If we choose this option we run the risk of a significant cost increase to the Town based on the volatility of the industry. It would also increase the labor/overtime costs to the district, which have already exceeded approximately \$6k over the last 6 months.
- Option 2 ~ Purchase both units together at a cost of 17,850. The attached quote for this option includes installation for both resulting in a savings of \$3k.

I spoke with Mary Ann to request a transfer of funds from the Unreserved Fund Balance to purchase both units together as the most cost effective option. She was in agreement, upon authorization from the Board. Please also note that the Town will get reimbursed 50% of the cost from the DEP as these units are for the microfiltration plant.

The final cost breakdown to the district would be as follows:

	Option 1	Option 2
unit	8,050.00	14,600.00
installation	2,980.00	2,980.00
purchase total	11,030.00	17,580.00
micro reimbursement	(5,515.00)	(8,790.00)
final cost	5,515.00	8,790.00

Please arrange to present the Engineering Department's recommendation to the Board at the next available work session.

Thanks,

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Wednesday, May 4, 2022 9:24 AM

To: Esteves, Donna <de@ci.carmel.ny.us>; Boyd, Diane <Diane.Boyd@inframark.com>

Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>; Harris, Carrie <Carrie.Harris@inframark.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

Good morning Donna,

Iacono Inc has provided us with a finalized quote for the installation of new air compressors at CSD#7.

Enjoy the rest of your day!

Thank you,

Frank J. Tetto
(845) 728-4094

From: Esteves, Donna <de@ci.carmel.ny.us>
Sent: Monday, May 2, 2022 11:09 AM
To: Tetto, Frank <Frank.Tetto@inframark.com>; Boyd, Diane <Diane.Boyd@inframark.com>
Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>
Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request
Ok thanks Frank. Keep me posted. Have a good day!

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Tetto, Frank <Frank.Tetto@inframark.com>
Sent: Monday, May 2, 2022 11:07 AM
To: Esteves, Donna <de@ci.carmel.ny.us>; Boyd, Diane <Diane.Boyd@inframark.com>
Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>
Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request
Good morning Donna,
An Iacono rep is scheduled to visit CSD7 this afternoon and will provide a quote for the install soon.
Thank you,
Frank
Get [Outlook for iOS](#)

From: Esteves, Donna <de@ci.carmel.ny.us>
Sent: Monday, May 2, 2022 11:04:46 AM
To: Boyd, Diane <Diane.Boyd@inframark.com>; Tetto, Frank <Frank.Tetto@inframark.com>
Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>
Subject: FW: Atlas Copco GX4FF air compressor service - initial visit quote request

WARNING: This email originated outside of Inframark. Take caution when clicking on links and opening attachments.

Good Morning,
Just wanted to follow up and see if you were able to get a revised quote to include the labor.
Thanks,

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Esteves, Donna <>
Sent: Wednesday, April 27, 2022 4:04 PM
To: 'Boyd, Diane' <Diane.Boyd@inframark.com>; Tetto, Frank <Frank.Tetto@inframark.com>;

Franzetti, Richard <rjf@ci.carmel.ny.us>; Brann, Thomas <thomas.brann@inframark.com>
Cc: Harris, Carrie <Carrie.Harris@inframark.com>; Batz, Michael <michael.batz@inframark.com>
Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

Diane/Frank,

As mentioned in a previous email, this district is struggling with budget this year. However, with that said it is more cost effective to purchase both at the same time. In order to determine if the district can encumber the cost, I would like to have the vendor provide a revised quote to include the labor.

Thanks,

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Boyd, Diane <Diane.Boyd@inframark.com>

Sent: Wednesday, April 27, 2022 3:09 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>; Brann, Thomas <thomas.brann@inframark.com>

Cc: Esteves, Donna <de@ci.carmel.ny.us>; Harris, Carrie <Carrie.Harris@inframark.com>; Batz, Michael <michael.batz@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Richard,

Also, please note that what we've incurred in labor to address alarms due to this Air compressor issue, well exceeds \$6,000 just in the past 6 months. The purchase of the oil at \$1,100 is another cost to take into consideration. They have been going thru oil almost every day as opposed to every 6 months.

Regards,

Diane Boyd | Operations Supervisor



Carmel, NY

(O) 845-565-6182 | (M) 914-256-7425

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Wednesday, April 27, 2022 3:04 PM

To: Franzetti, Richard <rjf@ci.carmel.ny.us>; Brann, Thomas <thomas.brann@inframark.com>

Cc: Esteves, Donna <de@ci.carmel.ny.us>; Boyd, Diane <Diane.Boyd@inframark.com>; Harris, Carrie <Carrie.Harris@inframark.com>; Batz, Michael <michael.batz@inframark.com>

Subject: Fw: Atlas Copco GX4FF air compressor service - initial visit quote request

Good afternoon Richard,

Please see the forwarded email correspondence with Iacono Inc. regarding the pricing for the replacement air compressors at CSD#7.

He has provided two quotes: an updated quote for the purchase of both units at the same time in which he was able to provide a discount/incentive (\$1,313.00 savings as compared to the original quote offered) and a quote for the purchase of a single unit.

Please see his comments, specifically regarding having to pay the ~\$3,000 installation fee,

twice, if the Town decides to purchase the units individually. Also, please note that it is possible for the pricing of the units to increase by the time we are ready to purchase unit #2. It seems that purchasing both air compressors at once would be the most economical option. Please review and advise.

Thank you & kind regards,

Frank J. Tetto

(845) 728 - 4094

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Wednesday, April 27, 2022 2:07 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request
Frank,

Quotes are attached for 2 options as discussed. 1 for 1 unit at a time, 1 for both units together.

However you would like to do it, we are ok with. The only downside to buying them separately is:

1. 2x installation costs – this is generally around \$3,000 but could be more if we need to rent any equipment (forklift etc) to get the compressor(s) into/out of the building and any other installation costs beyond basic installation. You would have to pay the \$3k+ installation charges for each order/install separate.
2. You will be subject to any price increases. There is generally at least 1-2 per year on the compressor. With everything as volatile as it is these days, I don't know where shipping, materials or labor will be next year. We would need to revise the quote whenever the time comes for purchase #2.

I went pretty lean on the original quote for 2 so I did not have a ton of room on pricing - I took off as much as I could for a deal to purchase the 2 together.

If you have any questions or need anything else at all just let me know.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Harris Goldberg

Sent: Wednesday, April 20, 2022 4:47 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request
Frank,

Thank you for your time yesterday. As discussed, attached is a quote and below are some bullet points. If you need any more specific points to pass along just let me know and I will write it up for you.

I only quoted the oil injected compressors. The scroll is a lot more money and could end up requiring a bit more maintenance, if you do want a quote on those just let me know. I quoted a mist eliminator, which removes and filters oil. This would be an extra layer of protection from oil. Food grade oil is also an option for the oil injected, it would be a \$400 upcharge on the machine cost. This is a safer oil that can be consumed and is safer on surfaces. If would like us to do the install, let me know and I will have a tech work up a quote. Any questions or if anything else is needed let me

know.

- THE EXSISTING COMPRESSORS ARE ON THEIR WAY OUT (PRETTY MUCH SHOT) AND ANY MORE REPAIRS AT THIS POINT ARE JUST BAND AIDS UNTILL THEY FAIL
- THE AMOUNT OF OIL LEAKING IS NOT A NORMAL AMOUNT – LITTLE TO NO OIL SHOULD BE LEAKING
- GX SERIES HAS BEEN DISCONTINUED & REPLACED WITH THE G SERIES, AN OPTIMIZED VERISON (QUOTED)
- 2 NEW OIL INJECTED COMPRESSORS WILL NOT LEAK OIL, IF THEY DO IT WILL BE EXTREMELY MINIMAL & DOWN THE ROAD – FOOD GRADE OIL IS AVAILABLE ON G4 (SLIGHT UPCHARGE), THIS IS A SAFER OIL THAT CAN BE CONSUMED/WILL NOT HARM SURFACES.
- 2 OIL FREE SCROLL COMPRESSORS MAY BE OVERKILL BUT WILL ELIMINATE OIL FROM THE SYSTEM COMPLETELY AFTER A PERIOD OF TIME – WILL NEED TO BE REPLACED EVERY 10 YEARS, AFTER 8,000 HOURS SERVICE IS AN ABOSLUTE MUST. OIL FREE WOULD NEED TO BE 2X10HP AND ARE SIGNIFICANTLY MORE EXPENSIVE.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Monday, April 18, 2022 10:12 AM

To: Harris Goldberg <harrisg@iaconoinc.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

Yes, we can meet there.

Thank you,

Frank

Get [Outlook for iOS](#)

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Monday, April 18, 2022 9:51 AM

To: Tetto, Frank

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

Confirmed, thank you Frank! See you tomorrow! Should I come to 35 Dahlia Dr?

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Monday, April 18, 2022 8:47 AM

To: Harris Goldberg <harrisg@iaconoinc.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

That sounds great to me! Tomorrow morning would be perfect. Feel free to give me a call when you're on your way.

Thank you,

Frank
(845) 728-4094
Get [Outlook for iOS](#)

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Monday, April 18, 2022 8:28:58 AM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

Awesome, thank you Frank. I can come by tomorrow or thursday this week mid-morning, whichever works best for you.

There will be absolutely no charge for my visit.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Monday, April 18, 2022 7:34 AM

To: Harris Goldberg <harrisg@iaconoinc.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

Good morning Harris,

Thank you for reaching out! I would be happy to have you out to evaluate our air compressors at Carmel Sewer District #7.

Any time this week works well for me, so whatever is most convenient for you.

I would just need to know if there will be a charge associated with this visit, so I can inform the Town of Carmel Engineering Department for approval.

Thank you,

Frank

(845) 728-4094

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Wednesday, April 13, 2022 2:51 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: FW: Atlas Copco GX4FF air compressor service - initial visit quote request

Good Afternoon Frank,

I am your Iacono Inc sales rep, Matt Sandolo forwarded me this email and he is taking care of the service end of things.

It sounds like it might be time to replace some of these compressors.

Would I be able to come by at some point next week to look at the system, discuss in more detail and possibly come up with a plan to get some new machines in there?

I am in Westchester daily so let me know whatever day/time works best for you. I am only unavailable on Wednesday before 1pm next week.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950
OFFICE: 631-589-6303

From: Matthew Sandolo <matt@iaconoinc.com>
Sent: Wednesday, April 13, 2022 10:19 AM
To: Harris Goldberg <harrisg@iaconoinc.com>
Subject: Fwd: Atlas Copco GX4FF air compressor service - initial visit quote request

See below

Matthew Sandolo
Service Manager

[<cid:image001.png@01D1BCA8.163FE9B0>]
[631-589-6303](tel:631-589-6303)
[631-589-6310](tel:631-589-6310) fax
www.iaconoinc.com<<http://www.iaconoinc.com/>>
Authorized Atlas Copco Distributor

[cid:2__=09BBF649DFF0DD128f9e8a93d@atlascopco.com]

[Compressors & Dryers]

Begin forwarded message:

From: "Tetto, Frank" <Frank.Tetto@inframark.com>
Date: February 9, 2022 at 14:43:55 EST
To: Matthew Sandolo <matt@iaconoinc.com>
Cc: "Brann, Thomas" <thomas.brann@inframark.com>, "Harris, Carrie" <Carrie.Harris@inframark.com>
Subject: Atlas Copco GX4FF air compressor service - initial visit quote request

Good afternoon Matt,
We spoke on the phone yesterday about setting up a service appointment for our two Atlas Copco air compressors at Carmel Sewer District #7. I am just following up with an email as requested.
Both compressors are Atlas Copco GX4 FF units with the following serial number: CAI490039. We are currently having an issue with both units where they are losing ~ 1000 mL of oil on a weekly basis. In addition to this, unit #1 is currently inoperable and will not turn on when called for... so we are relying on unit #2 to pick up all of the slack.
We would like to have a service technician on site as soon as possible to evaluate the issue and then complete the necessary repairs. Please let me know if any other information is required before the initial inspection.

The bill to and service address are as follows:

Bill to:

Town of Carmel

Engineering Dept.

60 McAlpin Ave.

Mahopac, NY 10512

Service Address:

Carmel Sewer District #7

35 Dahlia Dr.

Mahopac, NY

Also, please note that the Town of Carmel is tax exempt, so please do not include tax on the generated quote. I have attached a copy of the towns tax exempt letter this email.

Thank you,

Frank

From: [Esteves, Donna](#)
To: [Franzetti, Richard](#)
Cc: [Maxwell, Mary Ann](#)
Subject: FW: Atlas Copco GX4FF air compressor service - initial visit quote request
Date: Wednesday, May 4, 2022 1:27:32 PM
Attachments: [CARMEL SEWER DISTRICT QUOTE 1X.pdf](#)
[CARMEL SEWER DISTRICT QUOTE 2X FINAL_CSD7_AirCompressors.pdf](#)

Rich,

Please see attached request for the purchase of (2) air compressors for CSD7. There are *insufficient* funds in the operating budget for this request, as it was not included in the 2022 budget requests. The Engineering Department received the attached two quotes:

- Option 1 ~ Purchase the units separately at a cost of \$8,050 plus installation. If we choose this option we run the risk of a significant cost increase to the Town based on the volatility of the industry. It would also increase the labor/overtime costs to the district, which have already exceeded approximately \$6k over the last 6 months.
- Option 2 ~ Purchase both units together at a cost of 17,850. The attached quote for this option includes installation for both resulting in a savings of \$3k.

I spoke with Mary Ann to request a transfer of funds from the Unreserved Fund Balance to purchase both units together as the most cost effective option. She was in agreement, upon authorization from the Board. Please also note that the Town will get reimbursed 50% of the cost from the DEP as these units are for the microfiltration plant.

The final cost breakdown to the district would be as follows:

	Option 1	Option 2
unit	8,050.00	14,600.00
installation	2,980.00	2,980.00
purchase total	11,030.00	17,580.00
micro reimbursement	(5,515.00)	(8,790.00)
final cost	5,515.00	8,790.00

Please arrange to present the Engineering Department's recommendation to the Board at the next available work session.

Thanks,

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Wednesday, May 4, 2022 9:24 AM

To: Esteves, Donna <de@ci.carmel.ny.us>; Boyd, Diane <Diane.Boyd@inframark.com>

Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>; Harris, Carrie <Carrie.Harris@inframark.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

Good morning Donna,

lacono Inc has provided us with a finalized quote for the installation of new air compressors at CSD#7.

Enjoy the rest of your day!

Thank you,

Frank J. Tetto
(845) 728-4094

From: Esteves, Donna <de@ci.carmel.ny.us>
Sent: Monday, May 2, 2022 11:09 AM
To: Tetto, Frank <Frank.Tetto@inframark.com>; Boyd, Diane <Diane.Boyd@inframark.com>
Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>
Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request
Ok thanks Frank. Keep me posted. Have a good day!

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Tetto, Frank <Frank.Tetto@inframark.com>
Sent: Monday, May 2, 2022 11:07 AM
To: Esteves, Donna <de@ci.carmel.ny.us>; Boyd, Diane <Diane.Boyd@inframark.com>
Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>
Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request
Good morning Donna,
An Iacono rep is scheduled to visit CSD7 this afternoon and will provide a quote for the install soon.
Thank you,
Frank
Get [Outlook for iOS](#)

From: Esteves, Donna <de@ci.carmel.ny.us>
Sent: Monday, May 2, 2022 11:04:46 AM
To: Boyd, Diane <Diane.Boyd@inframark.com>; Tetto, Frank <Frank.Tetto@inframark.com>
Cc: Brann, Thomas <thomas.brann@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>
Subject: FW: Atlas Copco GX4FF air compressor service - initial visit quote request

WARNING: This email originated outside of Inframark. Take caution when clicking on links and opening attachments.

Good Morning,
Just wanted to follow up and see if you were able to get a revised quote to include the labor.
Thanks,

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Esteves, Donna <>
Sent: Wednesday, April 27, 2022 4:04 PM
To: 'Boyd, Diane' <Diane.Boyd@inframark.com>; Tetto, Frank <Frank.Tetto@inframark.com>;

Franzetti, Richard <rjf@ci.carmel.ny.us>; Brann, Thomas <thomas.brann@inframark.com>
Cc: Harris, Carrie <Carrie.Harris@inframark.com>; Batz, Michael <michael.batz@inframark.com>
Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

Diane/Frank,

As mentioned in a previous email, this district is struggling with budget this year. However, with that said it is more cost effective to purchase both at the same time. In order to determine if the district can encumber the cost, I would like to have the vendor provide a revised quote to include the labor.

Thanks,

Donna Esteves

Town of Carmel ~ Engineering Department
60 Mc Alpin Ave
Mahopac, NY 10541
845-628-1500 ext. 184

From: Boyd, Diane <Diane.Boyd@inframark.com>

Sent: Wednesday, April 27, 2022 3:09 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>; Franzetti, Richard <rjf@ci.carmel.ny.us>; Brann, Thomas <thomas.brann@inframark.com>

Cc: Esteves, Donna <de@ci.carmel.ny.us>; Harris, Carrie <Carrie.Harris@inframark.com>; Batz, Michael <michael.batz@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Richard,

Also, please note that what we've incurred in labor to address alarms due to this Air compressor issue, well exceeds \$6,000 just in the past 6 months. The purchase of the oil at \$1,100 is another cost to take into consideration. They have been going thru oil almost every day as opposed to every 6 months.

Regards,

Diane Boyd | Operations Supervisor



Carmel, NY

(O) 845-565-6182 | (M) 914-256-7425

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Wednesday, April 27, 2022 3:04 PM

To: Franzetti, Richard <rjf@ci.carmel.ny.us>; Brann, Thomas <thomas.brann@inframark.com>

Cc: Esteves, Donna <de@ci.carmel.ny.us>; Boyd, Diane <Diane.Boyd@inframark.com>; Harris, Carrie <Carrie.Harris@inframark.com>; Batz, Michael <michael.batz@inframark.com>

Subject: Fw: Atlas Copco GX4FF air compressor service - initial visit quote request

Good afternoon Richard,

Please see the forwarded email correspondence with Iacono Inc. regarding the pricing for the replacement air compressors at CSD#7.

He has provided two quotes: an updated quote for the purchase of both units at the same time in which he was able to provide a discount/incentive (\$1,313.00 savings as compared to the original quote offered) and a quote for the purchase of a single unit.

Please see his comments, specifically regarding having to pay the ~\$3,000 installation fee,

twice, if the Town decides to purchase the units individually. Also, please note that it is possible for the pricing of the units to increase by the time we are ready to purchase unit #2. It seems that purchasing both air compressors at once would be the most economical option. Please review and advise.

Thank you & kind regards,

Frank J. Tetto

(845) 728 - 4094

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Wednesday, April 27, 2022 2:07 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request
Frank,

Quotes are attached for 2 options as discussed. 1 for 1 unit at a time, 1 for both units together.

However you would like to do it, we are ok with. The only downside to buying them separately is:

1. 2x installation costs – this is generally around \$3,000 but could be more if we need to rent any equipment (forklift etc) to get the compressor(s) into/out of the building and any other installation costs beyond basic installation. You would have to pay the \$3k+ installation charges for each order/install separate.
2. You will be subject to any price increases. There is generally at least 1-2 per year on the compressor. With everything as volatile as it is these days, I don't know where shipping, materials or labor will be next year. We would need to revise the quote whenever the time comes for purchase #2.

I went pretty lean on the original quote for 2 so I did not have a ton of room on pricing - I took off as much as I could for a deal to purchase the 2 together.

If you have any questions or need anything else at all just let me know.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Harris Goldberg

Sent: Wednesday, April 20, 2022 4:47 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request
Frank,

Thank you for your time yesterday. As discussed, attached is a quote and below are some bullet points. If you need any more specific points to pass along just let me know and I will write it up for you.

I only quoted the oil injected compressors. The scroll is a lot more money and could end up requiring a bit more maintenance, if you do want a quote on those just let me know. I quoted a mist eliminator, which removes and filters oil. This would be an extra layer of protection from oil. Food grade oil is also an option for the oil injected, it would be a \$400 upcharge on the machine cost. This is a safer oil that can be consumed and is safer on surfaces. If would like us to do the install, let me know and I will have a tech work up a quote. Any questions or if anything else is needed let me

know.

- THE EXSISTING COMPRESSORS ARE ON THEIR WAY OUT (PRETTY MUCH SHOT) AND ANY MORE REPAIRS AT THIS POINT ARE JUST BAND AIDS UNTILL THEY FAIL
- THE AMOUNT OF OIL LEAKING IS NOT A NORMAL AMOUNT – LITTLE TO NO OIL SHOULD BE LEAKING
- GX SERIES HAS BEEN DISCONTINUED & REPLACED WITH THE G SERIES, AN OPTIMIZED VERISON (QUOTED)
- 2 NEW OIL INJECTED COMPRESSORS WILL NOT LEAK OIL, IF THEY DO IT WILL BE EXTREMELY MINIMAL & DOWN THE ROAD – FOOD GRADE OIL IS AVAILABLE ON G4 (SLIGHT UPCHARGE), THIS IS A SAFER OIL THAT CAN BE CONSUMED/WILL NOT HARM SURFACES.
- 2 OIL FREE SCROLL COMPRESSORS MAY BE OVERKILL BUT WILL ELIMINATE OIL FROM THE SYSTEM COMPLETELY AFTER A PERIOD OF TIME – WILL NEED TO BE REPLACED EVERY 10 YEARS, AFTER 8,000 HOURS SERVICE IS AN ABOSLUTE MUST. OIL FREE WOULD NEED TO BE 2X10HP AND ARE SIGNIFICANTLY MORE EXPENSIVE.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Monday, April 18, 2022 10:12 AM

To: Harris Goldberg <harrisg@iaconoinc.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

Yes, we can meet there.

Thank you,

Frank

Get [Outlook for iOS](#)

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Monday, April 18, 2022 9:51 AM

To: Tetto, Frank

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

Confirmed, thank you Frank! See you tomorrow! Should I come to 35 Dahlia Dr?

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Monday, April 18, 2022 8:47 AM

To: Harris Goldberg <harrisg@iaconoinc.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

That sounds great to me! Tomorrow morning would be perfect. Feel free to give me a call when you're on your way.

Thank you,

Frank
(845) 728-4094
Get [Outlook for iOS](#)

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Monday, April 18, 2022 8:28:58 AM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: RE: Atlas Copco GX4FF air compressor service - initial visit quote request

Awesome, thank you Frank. I can come by tomorrow or thursday this week mid-morning, whichever works best for you.

There will be absolutely no charge for my visit.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950

OFFICE: 631-589-6303

From: Tetto, Frank <Frank.Tetto@inframark.com>

Sent: Monday, April 18, 2022 7:34 AM

To: Harris Goldberg <harrisg@iaconoinc.com>

Subject: Re: Atlas Copco GX4FF air compressor service - initial visit quote request

Good morning Harris,

Thank you for reaching out! I would be happy to have you out to evaluate our air compressors at Carmel Sewer District #7.

Any time this week works well for me, so whatever is most convenient for you.

I would just need to know if there will be a charge associated with this visit, so I can inform the Town of Carmel Engineering Department for approval.

Thank you,

Frank

(845) 728-4094

From: Harris Goldberg <harrisg@iaconoinc.com>

Sent: Wednesday, April 13, 2022 2:51 PM

To: Tetto, Frank <Frank.Tetto@inframark.com>

Subject: FW: Atlas Copco GX4FF air compressor service - initial visit quote request

Good Afternoon Frank,

I am your Iacono Inc sales rep, Matt Sandolo forwarded me this email and he is taking care of the service end of things.

It sounds like it might be time to replace some of these compressors.

Would I be able to come by at some point next week to look at the system, discuss in more detail and possibly come up with a plan to get some new machines in there?

I am in Westchester daily so let me know whatever day/time works best for you. I am only unavailable on Wednesday before 1pm next week.

Thanks!

Harris Goldberg

Area Manager – Iacono Inc.

CELL: 914-380-2950
OFFICE: 631-589-6303

From: Matthew Sandolo <matt@iaconoinc.com>
Sent: Wednesday, April 13, 2022 10:19 AM
To: Harris Goldberg <harrisg@iaconoinc.com>
Subject: Fwd: Atlas Copco GX4FF air compressor service - initial visit quote request

See below

Matthew Sandolo
Service Manager

[<cid:image001.png@01D1BCA8.163FE9B0>]
[631-589-6303](tel:631-589-6303)
[631-589-6310](tel:631-589-6310) fax
www.iaconoinc.com<<http://www.iaconoinc.com/>>
Authorized Atlas Copco Distributor

[cid:2__=09BBF649DFF0DD128f9e8a93d@atlascopco.com]

[Compressors & Dryers]

Begin forwarded message:

From: "Tetto, Frank" <Frank.Tetto@inframark.com>
Date: February 9, 2022 at 14:43:55 EST
To: Matthew Sandolo <matt@iaconoinc.com>
Cc: "Brann, Thomas" <thomas.brann@inframark.com>, "Harris, Carrie" <Carrie.Harris@inframark.com>
Subject: Atlas Copco GX4FF air compressor service - initial visit quote request

Good afternoon Matt,

We spoke on the phone yesterday about setting up a service appointment for our two Atlas Copco air compressors at Carmel Sewer District #7. I am just following up with an email as requested.

Both compressors are Atlas Copco GX4 FF units with the following serial number: CAI490039. We are currently having an issue with both units where they are losing ~ 1000 mL of oil on a weekly basis. In addition to this, unit #1 is currently inoperable and will not turn on when called for... so we are relying on unit #2 to pick up all of the slack.

We would like to have a service technician on site as soon as possible to evaluate the issue and then complete the necessary repairs. Please let me know if any other information is required before the initial inspection.

The bill to and service address are as follows:

Bill to:

Town of Carmel

Engineering Dept.

60 McAlpin Ave.

Mahopac, NY 10512

Service Address:

Carmel Sewer District #7

35 Dahlia Dr.

Mahopac, NY

Also, please note that the Town of Carmel is tax exempt, so please do not include tax on the generated quote. I have attached a copy of the towns tax exempt letter this email.

Thank you,

Frank

5/11/2022 Work Session Agenda Item #6

Richard J. Franzetti, P.E.
Town Engineer




(845) 628-1500
(845) 628-2087
Fax (845) 628-7085

Office of the Town Engineer
60 McAlpin Avenue
Mahopac, New York 10541

MEMORANDUM

To: Carmel Town Board

From: Richard J. Franzetti P.E., Town Engineer 

Date: May 4, 2022

Re: DRAFT Annual MS4 Report

The Town of Carmel is an MS4 community and as such we are required to develop and submit an annual report under the New York State Department of Environmental Conservation (NYSDEC) State Pollution Discharge Elimination System (SPDES) General Permit for Stormwater Discharges from MS4s (GP-0-15-003).

Attached for your consideration is the Draft Annual (MS4) Report. The Draft report will be placed on the Town of Carmel webpage on May 4, 2022 and will be posted for comment for at least 30 days prior to being made final.

The Final Annual MS4 report is due June 1, 2022. Given the voting schedule in May we respectfully request that if there are no comments made to the Draft document that the report be considered final, signed by the Supervisor and submitted to the NYSDEC in a timely fashion. A copy of this Final document will be placed on the Town of Carmel webpage.

MS4 Annual Report Cover Page

MCC form for period ending March 9,

2	0	2	2
---	---	---	---

Provide SPDES ID of each permitted MS4 included in this report.

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

SPDES ID

N	Y	R	2	0	A				
---	---	---	---	---	---	--	--	--	--

MS4 Municipal Compliance Certification(MCC) Form

MCC form for period ending March 9, 2 0 2 2

Name of MS4

SPDES ID
N Y R 2 0 A 2 9 4

Section 2 - Contact Information

Important Instructions - Please Read

Contact information must be provided for *each* of the following positions as indicated below:

1. Principal Executive Officer, Chief Elected Official or other qualified individual (per GP-0-08-002 Part VI.J).
2. Duly Authorized Representative (Information for this contact must only be submitted if a Duly Authorized Representative is signing this form)
3. The Local Stormwater Public Contact (required per GP-0-08-002 Part VII.A.2.c & Part VIII.A.2.c).
4. The Stormwater Management Program (SWMP) Coordinator (Individual responsible for coordination/implementation of SWMP).
5. Report Preparer (Consultants may provide company name in the space provided).

A separate sheet must be submitted for each position listed above unless more than one position is filled by the same individual. If one individual fills multiple roles, provide the contact information once and check all positions that apply to that individual.

If a new Duly Authorized Representative is signing this report, their contact information must be provided and a signature authorization form, signed by the Principal Executive Officer or Chief Elected Official must be attached.

For each contact, select all that apply:

- Principal Executive Officer/Chief Elected Official
- Duly Authorized Representative
- Local Stormwater Public Contact
- Stormwater Management Program (SWMP) Coordinator
- Report Preparer

First Name MI Last Name

Title

Address

City State Zip -

eMail

Phone County

MS4 Municipal Compliance Certification(MCC) Form

MCC form for period ending March 9, 2022

Name of MS4

SPDES ID

N	Y	R	2	0	A	2	9	4
---	---	---	---	---	---	---	---	---

Section 2 - Contact Information

Important Instructions - Please Read

Contact information must be provided for **each** of the following positions as indicated below:

1. Principal Executive Officer, Chief Elected Official or other qualified individual (per GP-0-08-002 Part VI.J).
2. Duly Authorized Representative (Information for this contact must only be submitted if a Duly Authorized Representative is signing this form)
3. The Local Stormwater Public Contact (required per GP-0-08-002 Part VII.A.2.c & Part VIII.A.2.c).
4. The Stormwater Management Program (SWMP) Coordinator (Individual responsible for coordination/implementation of SWMP).
5. Report Preparer (Consultants may provide company name in the space provided).

A separate sheet must be submitted for each position listed above unless more than one position is filled by the same individual. If one individual fills multiple roles, provide the contact information once and check all positions that apply to that individual.

If a new Duly Authorized Representative is signing this report, their contact information must be provided and a signature authorization form, signed by the Principal Executive Officer or Chief Elected Official must be attached.

For each contact, select all that apply:

- Principal Executive Officer/Chief Elected Official
- Duly Authorized Representative
- Local Stormwater Public Contact
- Stormwater Management Program (SWMP) Coordinator
- Report Preparer

First Name	MI	Last Name
<input type="text" value="R i c h a r d"/>	<input type="text" value="J"/>	<input type="text" value="F r a n z e t t i P E"/>

Title

Address

City	State	Zip
<input type="text" value="M a h o p a c"/>	<input type="text" value="N Y"/>	<input type="text" value="1 0 5 4 1"/> - <input type="text" value=""/>

eMail

Phone	County
<input type="text" value="(8 4 5) 6 2 8 - 2 0 8 7"/>	<input type="text" value="P u t n a m"/>

MS4 Municipal Compliance Certification (MCC) Form

MCC form for period ending March 9,

2	0	2	2
---	---	---	---

Name of MS4

Town of Carmel

SPDES ID

N	Y	R	2	0	A	2	9	4
---	---	---	---	---	---	---	---	---

Section 3 - Partner Information

Did your MS4 work with partners/coalition to complete some or all permit requirements during this reporting period? Yes No

If Yes, complete information below.

Submit a separate sheet for each partner. Information provided in other formats will not be accepted. If your MS4 cooperated with a coalition, submit one sheet with the name of the coalition. It is not necessary to include a separate sheet for each MS4 in the coalition.

If No, proceed to Section 4 - Certification Statement.

Partner/Coalition Name

E	a	s	t	o	f	H	u	d	s	o	n	w	a	t	e	r	s	h	e	d	c	o	r	p
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Partner/Coalition Name (con't.)

SPDES Partner ID - If applicable

K	e	v	i	n	F	i	t	z	p	a	t	r	i	c	k	N	Y	R	2	0
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Address

P	O	B	O	X	1	7	6
---	---	---	---	---	---	---	---

City

State

Zip

P	a	t	t	e	r	s	o	n	N	Y	1	2	5	6	3	-		
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--

eMail

k	e	v	i	n	@	e	o	h	w	c	.	o	r	g
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Phone

(8	4	5)	3	1	9	-	6	3	4	9
---	---	---	---	---	---	---	---	---	---	---	---	---

Legally Binding Agreement in accordance with GP-0-08-002 Part IV.G.? Yes No

What tasks/responsibilities are shared with this partner (e.g. MM1 School Programs or Multiple Tasks)?

- MM1
- MM2
- MM3
- MM4
- MM5

i	n	s	t	a	l	l	a	t	i	o	n	o	f	r	e	t	r	o	f	i	t	s
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
- MM6

Additional tasks/responsibilities

- Watershed Improvement Strategy Best Management Practices* required for MS4s in impaired watersheds included in GP-0-08-002 Part IX.

development/implmentation of retrofit program

MS4 Municipal Compliance Certification(MCC) Form

MCC form for period ending March 9, 2 0 2 2

Name of MS4

SPDES ID
N Y R 2 0 A 2 9 4

Section 4 - Certification Statement

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

This form must be signed by either a principal executive officer or ranking elected official, or duly authorized representative of that person as described in GP-0-08-002 Part VI.J.

First Name MI Last Name

Title (Clearly print title of individual signing report)

Signature

Date / /

The annual report form and any attachments can be sent to the DEC Central Office clicking the Submit Form link below, or by sending it directly to: MS4compliance@dec.ny.gov. All submissions must include the SPDES ID in the title and must be complete before hitting the Submit Form link below:

Submit Form

If unable to submit electronically, hardcopy submissions can be sent to:

Bureau of Water Compliance
Division of Water
4th Floor
625 Broadway
Albany, New York 12233-3505

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

3. What strategies did your MS4/Coalition use to achieve education and outreach goals during this reporting period? Check all that apply:

- | | | | | | | |
|---|---------------------|--|---|--|--|---|
| <input type="radio"/> Construction Site Operators Trained | # Trained | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |
| <input type="radio"/> Direct Mailings | # Mailings | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |
| <input checked="" type="radio"/> Kiosks or Other Displays | # Locations | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td>4</td></tr></table> | | | | 4 |
| | | | 4 | | | |
| <input type="radio"/> List-Serves | # In List | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |
| <input type="radio"/> Mailing List | # In List | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |
| <input type="radio"/> Newspaper Ads or Articles | # Days Run | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |
| <input type="radio"/> Public Events/Presentations | # Attendees | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |
| <input type="radio"/> School Program | # Attendees | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |
| <input type="radio"/> TV Spot/Program | # Days Run | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td>8</td></tr></table> | | | | 8 |
| | | | 8 | | | |
| <input checked="" type="radio"/> Printed Materials: | Total # Distributed | <table border="1" style="width: 100%; height: 20px;"><tr><td> </td><td> </td><td> </td><td> </td></tr></table> | | | | |
| | | | | | | |

Locations (e.g. libraries, town offices, kiosks)

E	n	g	i	n	e	e	r	i	n	g		a	n	d					
B	u	i	l	d	i	n	g		D	e	p	t	s						

Other:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Web Page: Provide specific web addresses - not home page. Continue on next page if additional space is needed.

URL

h	t	t	p	:	/	/	w	w	w	.	c	i	.	c	a	r	m	e	l	.	n	y	.	u	s	/					
e	n	g	i	n	e	e	r	i	n	g	/	n	e	w	s	/	2	0	2	2	-	m	s	4	-	a	n	n	u	a	l
-	r	e	p	o	r	t																									

URL

w	w	w	.	c	i	.	c	a	r	m	e	l	.	n	y	.	u	s	/	e	n	g	i	n	e	e	r	i	n	g					

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

4. Evaluating Progress Toward Measurable Goals MCM 1

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.

Increase awareness of stormwater related issues through distribution of pamphlets. Updated website information.

B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.

Printed materials were distributed to the general public this year.

C. How many times was this observation measured or evaluated in this reporting period?

			1
--	--	--	---

(ex.: samples/participants/events)

D. Has your MS4 made progress toward this Measurable Goal during this reporting period?

Yes No

E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?

Yes No

F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).

Continue to make pamphlets available in Town Hall. Continue to update information on the Town website

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

2. URL(s) con't.:

Please provide specific address(es) where notice(s) can be accessed - not home page.

URL

h	t	t	p	:	/	/	w	w	w	.	c	i	.	c	a	r	m	e	l	.	n	y	.	u	s	/					
e	n	g	i	n	e	e	r	i	n	g	/	n	e	w	s	/	2	0	2	1	-	m	s	4	-	a	n	n	u	a	l
-	r	e	p	o	r	t																									

URL

w	w	w	.	c	i	.	c	a	r	m	e	l	.	n	y	.	u	s	/	e	n	g	i	n	e	e	r	i	n	g

URL

URL

URL

URL

URL

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

--	--	--	--

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SPDES ID

N	Y	R	2	0				
---	---	---	---	---	--	--	--	--

2. URL(s) con't.:

Please provide specific address(es) where notices can be accessed - not home page.

URL

URL

URL

URL

URL

URL

URL

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 2022

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition SPDES ID

3. Where can the public access copies of this annual report, Stormwater Management Program SWMP) Plan and submit comments on those documents?

Enter address/contact info and select radio button to indicate which document is available and whether comments may be submitted at that location. Submit additional pages as needed.

MS4/Coalition Office Annual Report SWMP Plan Comments

Department

Address

City Zip
Phone

Library Annual Report SWMP Plan Comments

Address

City Zip
Phone

Other Annual Report SWMP Plan Comments

Address

City Zip
Phone

Web Page URL: Annual Report SWMP Plan Comments

Please provide specific address of page where report can be accessed - not home page.

eMail Comments

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition SPDES ID

N	Y	R	2	0				
---	---	---	---	---	--	--	--	--

4.a. If this report was made available on the internet, what date was it posted?

Leave blank if this report was not posted on the internet.

0	4	/	3	0	/	2	0	2	2
---	---	---	---	---	---	---	---	---	---

4.b. For how many days was/will this report be posted?

	3	0
--	---	---

If submitting a report for single MS4, answer 5.a.. If submitting a joint report, answer 5.b..

5.a. Was an Annual Report public meeting held in this reporting period?

Yes No

If Yes, what was the date of the meeting?

		/			/				
--	--	---	--	--	---	--	--	--	--

If No, is one planned?

Yes No

5.b. Was an Annual Report public meeting held for all MS4s contributing to this report during this reporting period?

Yes No

If No, is one planned for each?

Yes No

6. Were comments received during this reporting period?

Yes No

If Yes, attach comments, responses and changes made to SWMP in response to comments to this report.

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

7. Evaluating Progress Toward Measurable Goals MCM 2

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.

Monitor number of comments received on SWMPP and Annual Report.

B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.

No comments were received on the SWMPP or Annual Report this year.

C. How many times was this observation measured or evaluated in this reporting period?

			1
--	--	--	---

(ex.: samples/participants/events)

D. Has your MS4 made progress toward this measurable goal during this reporting period?

Yes No

E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?

Yes No

F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).

Continue to post the annual report on the Town's website to offer the public a many opportunities as possible to offer input and comments.

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

Minimum Control Measure 3. Illicit Discharge Detection and Elimination

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report?

--	--	--

1. Enter the number and approx. percent of outfalls mapped:

	4	0	0
--	---	---	---

 #

1	0	0
---	---	---

 %

2. How many of these outfalls have been screened for dry weather discharges during this reporting period (outfall reconnaissance inventory)?

1	0	6
---	---	---

3.a. What types of generating sites/sewersheds were targeted for inspection during this reporting period?

- Auto Recyclers
- Building Maintenance
- Churches
- Commercial Carwashes
- Commercial Laundry/Dry Cleaners
- Construction Vehicle Washouts
- Cross-Connections
- Distribution Centers
- Food Processing Facilities
- Garbage Truck Washouts
- Hospitals
- Improper RV Waste Disposal
- Industrial Process Water
- Other:
- Landscaping (Irrigation)
- Marinas
- Metal Plateing Operations
- Outdoor Fluid Storage
- Parking Lot Maintenance
- Printing
- Residential Carwashing
- Restaurants
- Schools and Universities
- Septic Maintenance
- Swimming Pools
- Vehicle Fueling
- Vehicle Maint./Repair Shops
- None

C	o	n	s	t	r	u	c	t	i	o	n	S	i	t	e	s	a	n	d	s	e	p	t	i	c		
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--

Sewersheds:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 2022

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

3.b. What types of illicit discharges have been found during this reporting period?

- | | |
|--|--|
| <input type="radio"/> Broken Lines From Sanitary Sewer | <input type="radio"/> Industrial Connections |
| <input type="radio"/> Cross Connections | <input type="radio"/> Inflow/Infiltration |
| <input checked="" type="radio"/> Failing Septic Systems | <input type="radio"/> Pump Station Failure |
| <input type="radio"/> Floor Drains Connected To Storm Sewers | <input type="radio"/> Sanitary Sewer Overflows |
| <input type="radio"/> Illegal Dumping | <input type="radio"/> Straight Pipe Sewer Discharges |
| <input type="radio"/> Other: | <input type="radio"/> None |

4. How many illicit discharges/potential illegal connections have been detected during this reporting period?

||5

5. How many illicit discharges have been confirmed during this reporting period?

||5

6. How many illicit discharges/illegal connections have been eliminated during this reporting period?

||5

7. Has the storm sewershed mapping been completed in this reporting period? Yes No
 If No, approximately what percent was completed in this reporting period?

||| %

8. Is the above information available in GIS? Yes No
Is this information available on the web? Yes No

If Yes, provide URL(s):

Please provide specific address of page where map(s) can be accessed - not home page.

URL

URL

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

8. URL(s) con't.:

Please provide specific address of page where map(s) can be accessed - not home page

URL

URL

URL

URL

URL

9. Has an IDDE law been adopted for each traditional MS4 and/or have IDDE procedures been approved for all non-traditional MS4s contributing to this report? ● Yes ○ No

10. If Yes, has every traditional MS4 contributing to this report certified that this law is equivalent to the NYS Model IDDE Law? ● Yes ○ No ○ NT

11. What percent of staff in relevant positions and departments has received IDDE training?

3	3
---	---

 %

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

12. Evaluating Progress Toward Measurable Goals MCM 3

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.

The Town shall perform annual dry weather screening of outfalls to identify potential illicit discharges.

B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.

Five (5) potential illicit discharges were detected., investigated and fixed.

C. How many times was this observation measured or evaluated in this reporting period?

			1
--	--	--	---

(ex.: samples/participants/events)

D. Has your MS4 made progress toward this measurable goal during this reporting period?

Yes No

E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?

Yes No

F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).

Continue dry weather outfall screening to identify potential illicit discharges.

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4	
---	---	---	---	---	---	---	---	--

Minimum Control Measures 4 and 5. Construction Site and Post-Construction Control

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report?

--	--	--

1a. Has each MS4 contributing to this report adopted a law, ordinance or other regulatory mechanism that provides equivalent protection to the NYS SPDES General Permit for Stormwater Discharges from Construction Activities? Yes No

1b. Has each Town, City and/or Village contributing to this report documented that the law is equivalent to a NYSDEC Sample Local Law for Stormwater Management and Erosion and Sediment Control through either an attorney certification or using the NYSDEC Gap Analysis Workbook? Yes No NT

If Yes, Towns, Cities and Villages provide date of equivalent NYS Sample Local Law.
 09/2004 03/2006 NT

2. Does your MS4/Coalition have a SWPPP review procedure in place? Yes No

3. How many Construction Stormwater Pollution Prevention Plans (SWPPPs) have been reviewed in this reporting period?

	2	5
--	---	---

4. Does your MS4/Coalition have a mechanism for receipt and consideration of public comments related to construction SWPPPs? Yes No NT

If Yes, how many public comments were received during this reporting period?

--	--	--

5. Does your MS4/Coalition provide education and training for contractors about the local SWPPP process? Yes No

6. Identify which of the following types of enforcement actions you used during the reporting period for construction activities, indicate the number of actions, or note those for which you do not have authority:

- Notices of Violation #

					5
--	--	--	--	--	---

 No Authority
- Stop Work Orders #

					5
--	--	--	--	--	---

 No Authority
- Criminal Actions #

--	--	--	--	--	--

 No Authority
- Termination of Contracts #

--	--	--	--	--	--

 No Authority
- Administrative Fines #

--	--	--	--	--	--

 No Authority
- Civil Penalties #

--	--	--	--	--	--

 No Authority
- Administrative Orders #

--	--	--	--	--	--

 No Authority
- Enforcement Actions or Sanctions #

--	--	--	--	--	--
- Other #

--	--	--	--	--	--

 No Authority

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

Minimum Control Measure 4. Construction Site Stormwater Runoff Control

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report?

--	--	--

1. **How many construction projects have been authorized for disturbances of one acre or more during this reporting period?**

		4
--	--	---

2. **How many construction projects disturbing at least one acre were active in your jurisdiction during this reporting period?**

	1	2
--	---	---

3. **What percent of active construction sites were inspected during this reporting period?** NT

1	0	0
---	---	---

 %

4. **What percent of active construction sites were inspected more than once?** NT

1	0	0
---	---	---

 %

5. **Do all inspectors working on behalf of the MS4s contributing to this report use the NYS Construction Stormwater Inspection Manual?** Yes No NT

6. **Does your MS4/Coalition provide public access to Stormwater Pollution Prevention Plans (SWPPPs) of construction projects that are subject to MS4 review and approval?** Yes No NT
If your MS4 is Non-Traditional, are SWPPPs of construction projects made available for public review? Yes No

If Yes, use the following page to identify location(s) where SWPPPs can be accessed.

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 2022

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

6. con't.:

Submit additional pages as needed.

● MS4/Coalition Office

Department

T o w n o f C a r m e l E n g i n e e r i n g D e p t

Address

6 0 M c A l p i n A v e n u e

City

N Y

Zip

1 0 5 4 1 -

Phone

(8 4 5) 6 2 8 - 1 5 0 0

○ Library

Address

City

Zip

-

Phone

() -

○ Other

Address

City

Zip

-

Phone

() -

○ Web Page URL(s): Please provide specific address where SWPPPs can be accessed - not home page.

URL

URL

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

7. Evaluating Progress Toward Measurable Goals MCM 4

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.

Review SWPPP's through planning process to ensure compliance with the General Permit NYS Stormwater Management Design Manual, and NYS Standards and Specifications for Erosion & Sediment Control.

B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.

100% of SWPPP's requiring coverage under the General Permit were reviewed for conformance with the General Permit requirements, NYS Stormwater Management Design Manual and NYS Standards and Specifications for Erosion & Sediment Control. Comments were issued for deficient SWPPP's.

C. How many times was this observation measured or evaluated in this reporting period?

		1	4
--	--	---	---

(ex.: samples/participants/events)

D. Has your MS4 made progress toward this measurable goal during this reporting period?

Yes No

E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?

Yes No

F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).

Continue to review SWPPP's in accordance with the General Permit requirements, the NYS Stormwater Management Design Manual, and NYS Standards and Specifications for Erosion & Sediment Control.

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel																			
----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SPDES ID

N	Y	R	2	0	2	9	4													
---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--

Minimum Control Measure 5. Post-Construction Stormwater Management

The information in this section is being reported (check one):

- On behalf of an individual MS4
 On behalf of a coalition

How many MS4s contributed to this report?

--	--	--	--

1. How many and what type of post-construction stormwater management practices has your MS4/Coalition inventoried, inspected and maintained in this reporting period?

	# Inventoried	# Inspections	# Times Maintained									
<input type="radio"/> Alternative Practices	<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>			
<input type="radio"/> Filter Systems	<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>			
<input type="radio"/> Infiltration Basins	<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>			
<input type="radio"/> Open Channels	<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>			
<input type="radio"/> Ponds	<table border="1"><tr><td></td><td>6</td><td>5</td></tr></table>		6	5	<table border="1"><tr><td></td><td>6</td><td>5</td></tr></table>		6	5	<table border="1"><tr><td></td><td></td><td></td></tr></table>			
	6	5										
	6	5										
<input type="radio"/> Wetlands	<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>			
<input type="radio"/> Other	<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>				<table border="1"><tr><td></td><td></td><td></td></tr></table>			

2. Do you use an electronic tool (e.g. GIS, database, spreadsheet) to track post-construction BMPs, inspections and maintenance?

Yes No

3. What types of non-structural practices have been used to implement Low Impact Development/Better Site Design/Green Infrastructure principles?

- Building Codes Municipal Comprehensive Plans
 Overlay Districts Open Space Preservation Program
 Zoning Local Law or Ordinance
 None Land Use Regulation/Zoning
 Watershed Plans Other Comprehensive Plan

Other:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4	
---	---	---	---	---	---	---	---	--

4a. Are the MS4s contributing to this report involved in a regional/watershed wide planning effort?

Yes No

4b. Does the MS4 have a banking and credit system for stormwater management practices?

Yes No

4c. Do the SWMP Plans for each MS4 contributing to this report include a protocol for evaluation and approval of banking and credit of alternative siting of a stormwater management practice?

Yes No

4d. How many stormwater management practices have been implemented as part of this system in this reporting period?

		0
--	--	---

5. What percent of municipal officials/MS4 staff responsible for program implementation attended training on Low Impace Development (LID), Better Site Design (BSD) and other Green Infrastructure principles in this reporting period?

		0
--	--	---

 %

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

6. Evaluating Progress Toward Measurable Goals MCM 5

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.

Inventory and inspect post-construction stormwater management practices within municipal boundaries.

B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.

65 post-construction stormwater management practices were inventoried and inspected this year in accordance with the NYS Stormwater Management Design Manual.

C. How many times was this observation measured or evaluated in this reporting period?

		6	5
--	--	---	---

(ex.: samples/participants/events)

D. Has your MS4 made progress toward this measurable goal during this reporting period?

Yes No

E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?

Yes No

F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).

Continue to inventory and inspect post-construction stormwater management practices within municipal boundaries.

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4	
---	---	---	---	---	---	---	---	--

Minimum Control Measure 6. Stormwater Management for Municipal Operations

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report?

--	--	--

1. Choose/list each municipal operation/facility that contributes or may potentially contribute Pollutants of Concern to the MS4 system. For each operation/facility indicate whether the operation/facility has been addressed in the MS4's/Coalition's Stormwater Management Program(SWMP) Plan and whether a self-assessment has been performed during the reporting period. A self-assessment is performed to: 1) determine the sources of pollutants potentially generated by the permittee's operations and facilities; 2) evaluate the effectiveness of existing programs and 3) identify the municipal operations and facilities that will be addressed by the pollution prevention and good housekeeping program, if it's not done already.

<u>Operation/Activity/Facility</u>	<u>Addressed in SWMP?</u>		<u>Self-Assessment Operation/Activity/Facility performed within the past 3 years?</u>	
	<input type="radio"/> Yes	<input type="radio"/> No	<input type="radio"/> Yes	<input type="radio"/> No
Street Maintenance.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Bridge Maintenance.....	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Winter Road Maintenance.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Salt Storage.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Solid Waste Management.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
New Municipal Construction and Land Disturbance..	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Right of Way Maintenance.....	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Marine Operations.....	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Hydrologic Habitat Modification.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Parks and Open Space.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Municipal Building.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Stormwater System Maintenance.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Vehicle and Fleet Maintenance.....	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Other.....	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4	
---	---	---	---	---	---	---	---	--

2. Provide the following information about municipal operations good housekeeping programs:

- Parking Lots Swept (Number of acres X Number of times swept) # Acres

				8
--	--	--	--	---
- Streets Swept (Number of miles X Number of times swept) # Miles

		1	7	0
--	--	---	---	---
- Catch Basins Inspected and Cleaned Where Necessary #

	1	0	0	0
--	---	---	---	---
- Post Construction Control Stormwater Management Practices Inspected and Cleaned Where Necessary #

			1	3
--	--	--	---	---
- Phosphorus Applied In Chemical Fertilizer # Lbs.

				0
--	--	--	--	---
- Nitrogen Applied In Chemical Fertilizer # Lbs.

				0
--	--	--	--	---
- Pesticide/Herbicide Applied (Number of acres to which pesticide/herbicide was applied X Number of times applied to the nearest tenth.) # Acres

			0	.	
--	--	--	---	---	--

3. How many stormwater management trainings have been provided to municipal employees during this reporting period?

				0
--	--	--	--	---

4. What was the date of the last training?

0	5
---	---

 /

1	5
---	---

 /

2	0	2	2
---	---	---	---

5. How many municipal employees have been trained in this reporting period?

		1
--	--	---

6. What percent of municipal employees in relevant positions and departments receive stormwater management training?

	3	3
--	---	---

 %

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4
---	---	---	---	---	---	---	---

7. Evaluating Progress Toward Measurable Goals MCM 6

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.

Annually inspect and maintain approximately 25% of the stormwater collection system and drainage structures.

B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.

This 1,000 of the Town's drainage structures were inspected, cleaned, and maintained as necessary.

C. How many times was this observation measured or evaluated in this reporting period?

			1
--	--	--	---

(ex.: samples/participants/events)

D. Has your MS4 made progress toward this measurable goal during this reporting period?

Yes No

E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?

Yes No

F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).

Continue to annually inspect and maintain the stormwater collection system and drainage structures.

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 2 0 2 2

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition Town of Carmel

SPDES ID
N Y R 2 0 2 9 4

Additional Watershed Improvement Strategy Best Management Practices

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report?

MS4s must answer the questions or check NA as indicated in the table below.

MS4 Description	Answer	Check NA	(POC)
NYC EOH Watershed			
Traditional Land Use	1,2,3,4,5,6,7a-d,8a,8b,9	10,11,12	Phosphorus
Traditional Non-Land Use	1,2,3,4,7a-d,8a,8b,9	5,10,11,12	Phosphorus
Non-Traditional	1,2,77a-d,8a,8b,9	3,4,5,10,11,12	Phosphorus
Onondaga Lake Watershed			
Traditional Land Use	1,6,7a-d,8a,9	2,3,4,5,8b,10,11,12	Phosphorus
Traditional Non-Land Use	1,6,7a-d,8a,9	2,3,4,5,8b,10,11,12	Phosphorus
Non-Traditional	1,6,7a-d,8a,9	2,3,4,5,8b,10,11,12	Phosphorus
Greenwood Lake Watershed			
Traditional Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Traditional Non-Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Non-Traditional	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Oyster Bay			
Traditional Land Use	1,4,7a-d,9,10,11,12	2,3,5,6,8a,8b	Pathogens
Traditional Non-Land Use	1,4,7a-d,9,10,11,12	2,3,5,6,8a,8b	Pathogens
Non-Traditional	1,4,7a-d,9	2,3,4,5,8a,8b,10,11,12	Pathogens
Peconic Estuary			
Traditional Land Use	1,4,7a-d,8a,9,10,11,12	2,3,5,6,8b	Pathogens and Nitrogen
Traditional Non-Land Use	1,4,7a-d,8a,9,10,11,12	2,3,5,6,8b	Pathogens and Nitrogen
Non-Traditional	1,4,7a-d,8a,9	2,3,4,5,8b,10,11,12	Pathogens and Nitrogen
Oscawana Lake Watershed			
Traditional Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Traditional Non-Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Non-Traditional	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
LI 27 Embayments			
Traditional Land Use	1,2,3,4,7a-d,9,10,11,12	5,6,8a,8b	Pathogens
Traditional Non-Land Use	1,2,3,4,7a-d,9,10,11,12	5,6,8a,8b	Pathogens
Non-Traditional	1,2,3,4,7a-d,9	5,6,8a,8b,10,11,12	Pathogens

1. Does your MS4/Coalition have an education program addressing impacts of phosphorus/nitrogen/pathogens on waterbodies? Yes No N/A

2. Has 100% of the MS4/Coalition conveyance system been mapped in GIS? Yes No N/A

If N/A, go to question 3.

If No, estimate what percentage of the conveyance system has been mapped so far. 9 5 %

Estimate what percentage was mapped in this reporting period. %

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

Town of Carmel

SPDES ID

N	Y	R	2	0	2	9	4	
---	---	---	---	---	---	---	---	--

3. Does your MS4/Coalition have a Stormwater Conveyance System (infrastructure) Inspection and Maintenance Plan Program? Yes No N/A

4. Estimate the percentage of on-site wastewater treatment systems that have been inspected and maintained or rehabilitated as necessary in this reporting period?

		0
--	--	---

 %

5. Has your MS4/Coalition developed a program that provides protection equivalent to the NYSDEC SPDES General Permit for Stormwater Discharges from Construction Activities (GP-0-08-001) to reduce pollutants in stormwater runoff from construction activities that disturb five thousand square feet or more? Yes No N/A

6. Has your MS4/Coalition developed a program to address post-construction stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre that provides equivalent protection to the NYS DEC SPDES General Permit for Stormwater Discharges from Construction Activities (GP-0-08-001), including the New York State Stormwater Design Manual Enhanced Phosphorus Removal Standards? Yes No N/A

7a. Does your MS4/Coalition have a retrofitting program to reduce erosion or phosphorus/nitrogen/pathogen loading? Yes No N/A

7b. How many projects have been sited in this reporting period?

		2
--	--	---

7c. What percent of the projects included in 7b have been completed in this reporting period?

1	0	0
---	---	---

 %

7d. What percent of projects planned in previous years have been completed?

--	--	--

 %
 No Projects Planned

8a. Has your MS4/Coalition developed and implemented a turf management practices and procedures policy that addresses proper fertilizer application on municipally owned lands? Yes No N/A

8b. Has your MS4/Coalition developed and implemented a turf management practices and procedures policy that addresses proper disposal of grass clippings and leaves from municipally owned lands? Yes No N/A

MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9,

2	0	2	2
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

SPDES ID

N	Y	R	2	0	2	9	4	
---	---	---	---	---	---	---	---	--

9. Has your MS4/Coalition developed and implemented a program of native planting?

Yes No N/A

10. Has your MS4/Coalition enacted a local law prohibiting pet waste on municipal properties and prohibiting goose feeding?

Yes No N/A

11. Does your MS4/Coalition have a pet waste bag program?

Yes No N/A

12. Does your MS4/Coalition have a program to manage goose populations?

Yes No N/A

MS

TOWN OF CARMEL HIGHWAY DEPARTMENT

Carmel Highway Department
55 McAlpin Avenue
Mahopac, NY 10541

MICHAEL SIMONE
Superintendent of Highways

845.628.7474
FAX 845.628.1471
MSimone@bestweb.net

FROM THE DESK OF: *Michael Simone*

TO: SUPERVISOR MICHAEL CAZZARI
TOWN BOARD

DATE: MAY 3, 2022

RE: REQUEST TO PURCHASE FROM HIGHWAY REHABILITATION CORP.

I am requesting authorization to hire Highway Rehab to perform In-Place Recycling of selected Town Roads per the attached NYS OGS Contract Award #23250, Group 31555, Contract # PC69537, period 4/1/22 to 3/31/24.

See Attached

cc Comptroller MaryAnn Maxwell
Town Clerk Ann Spofford



Office of General Services
Procurement Services

Corning Tower, Empire State Plaza, Albany, NY 12242 | <https://ogs.ny.gov/procurement> | customer.services@ogs.ny.gov | 518-474-6717

Contract Award Notification

Title	: Group 31555 Comprehensive Liquid Bituminous Materials (Asphalt Emulsions, Chip Seal, Cold Recycling, Heater Scarification, Joint & Crack Filler/Sealer, Microsurfacing and/or Quick Set Slurry Seal, and Paver Placed Surface Treatment – Conventional & Modified) (Statewide) Classification Code(s): 30
Award Number	: <u>23250</u> (Replaces Award 23188)
Contract Period	: April 1, 2022 to March 31, 2024
Bid Opening Date	: December 16, 2021
Date of Issue	: April 1, 2022
Specification Reference	: SPEC – 940 date of issue October 30, 2019
Contractor Information	: Appears on Page 5-14 of this Award

Address Inquiries To:	
Name : Christine Dettmer	Procurement Services Customer Services
Title : Contract Management Specialist 1	
Phone : 518-473-9122	
E-mail : christine.dettmer@ogs.ny.gov	
	Phone : 518-474-6717
	E-mail : customer.services@ogs.ny.gov

Procurement Services values your input.
Complete and return "Contract Performance Report" at end of document.

Description

Liquid Bituminous Materials are divided in several groups: Asphalt Emulsions, Joint & Crack Filler/Sealer and several pavement preventive/corrective maintenance treatments including Chip Seal, Cold Recycling, Heater Scarification, Microsurfacing and/or Quick Set Slurry Seal and Paver Placed Surface Treatment.

This award has a total of 0% participation goals for MWBE and SDVOB.

PR # 23250

<u>Contract #</u>	<u>Contractor Name & Address</u>	<u>Contact Information</u>	<u>Fed ID#/NYS Vendor ID#</u>
PC69537	HIGHWAY REHABILITATION CORP. 2258 Route 22	Phone #: 845-278-9645	22-2355196
SB	Brewster, NY 10509	Contact: Christine Magee E-mail: chris@highwayrehab.com Web Site: www.highwayrehab.com	1000057419
Business hours: 8:30am – 5:30pm (M-F)		Person to contact in the event of an emergency occurring after normal business hours or on weekend/holidays: Phone #: 845-721-6008 Contact: Terence Lucey E-mail: terry@highwayrehab.com	

<u>Contract #</u>	<u>Contractor Name & Address</u>	<u>Contact Information</u>	<u>Fed ID#/NYS Vendor ID#</u>
PC69538	JULIEANN SHOVE, INC. dba CHAMPION ASPHALT MAINTENANCE		20-5160209
SB	5724 Eddy Ridge Road Williamson, NY 14589	Phone #: 315-589-7953 Contact: Deborah A. Shove E-mail: championasphalt7953@yahoo.com Web Site: www.championasphaltny.com	1000044369
Business hours: 8:00am – 4:00pm (M-F)		Person to contact in the event of an emergency occurring after normal business hours or on weekend/holidays: Phone #: 315-589-7953 Contact: Deborah A. Shove E-mail: championasphalt7953@yahoo.com	
Accepts NYS Procurement Card for orders from \$20,000 up to \$50,000.			

SECTION 3: PRICE PAGES and SPECIFICATIONS

3.1 PRICE PAGES

See Price Pages for all Lots at:

<http://www.ogs.ny.gov/purchase/spg/awards/3155523250Can.htm>

Lot 1 – Asphalt Emulsions

Lot 2 – Chip Seal

Lot 3 – Cold Recycling

Lot 4 – Heater Scarification

Lot 5 - Microsurfacing and/or Quick Set Slurry Seal

Lot 6 - Paver Placed Surface Treatment – Conventional & Modified

Lot 7 - Joint & Crack Filler/Sealer and Mastic Repair Material

3.2 SPECIFICATIONS

- Detailed Specifications – Liquid Bituminous Materials
- General Specifications
- Group Specification #940
- Insurance
- NYSDOT Standard Specifications, Construction and Materials
- NYSDOT Work Zone Traffic Control Drawings

Note: All these documents can be found at:

<http://www.ogs.ny.gov/purchase/spg/awards/3155523250Can.htm>

GROUP 31555 - AWARD 23250 - COMPREHENSIVE LIQUID BITUMINOUS MATERIALS
(Statewide)

LOT 4 - HEATER SCARIFICATION (Version 04/01/2022)

AGENCY/USER COMPLETES THIS SECTION FOR QUICK QUOTE

Date when the Quick Quote form is sent to the contractor: **April** / **27** / **2022**

NOTE:

1. The user and the contractor understand that the Project's Total Cost to be shown below will include all the needed Price Adjustments for the month indicated (the month when the Quick Quote form is sent to the contractor). If the project (or part of the project) is executed in a different month than the one used to calculate this Quick Quote, then the Project's Total Cost will change accordingly to reflect the Price Adjustments for the Month in which the project (or part of the project) was actually performed.

2. The contractor understands that at no time may a quick quote unit price (without the Price Adjustment) exceed the contract price. Materials cost, hauling expenses, etc., can be lowered by the contractor any time during the quick quote process.

Agency/User: **Town of Carmel Highway Dept.**

Project Name: **Heater Scarifying Misc. Roadways** Quick Quote #

Project Location:

Item 417.01 - Heater Scarification of Hot Mix Asphalt (HMA):

Estimated Total Quantity Required: **95,000.000** Square Yards

Additional Items (enter a check mark if required):

- Work Zone Traffic Control by Contractor Required
- Additional Flaggers Required Number of Additional Flaggers:
- Pilot Vehicle Required Number of Pilot Vehicles:
- OCP Insurance Required

*GROUP 31555 - AWARD 23250 - COMPREHENSIVE LIQUID BITUMINOUS MATERIALS
(Statewide)*

LOT 4 - HEATER SCARIFICATION (Version 04/01/2022)

Anticipated Project Start Date:

Agency/User Contact:

Agency/User Telephone:

Quick Quote must be returned by:

Agency/User Comments: (Note: Press Alt+Enter to create a new line)

**GROUP 31555 - AWARD 23250 - COMPREHENSIVE LIQUID BITUMINOUS MATERIALS
(Statewide)**

LOT 4 - HEATER SCARIFICATION (Version 04/01/2022)

CONTRACTOR COMPLETES THIS SECTION FOR QUICK QUOTE

Project Name: Heater Scarifying Misc. Roadways Quick Quote # 0

PC Number **PC69537**

Contractor Name Highway Rehabilitation Corp. Telephone: 845-278-9645

Location of Bituminous Storage Facility: 1911 Lorings Crossing Rd., Cortland NY

Estimated Haul Distance from Bituminous Storage Fac.: 204.0 Miles Plant #: _____

Location of Equipment Storage Facility: 100 Stradtman St., Cheektowaga NY

Estimated Haul Distance from Equipment Storage Facility: 393.0 Miles

Estimated Number of Days 12 or Hours _____ to Complete the Project

A. Item 417.01-Heater Scarification of HMA: Price = \$4.020 / Square Yard

B. Total Square Yards = 95,000.000 Square Yards

C. Total Price for Heater Scarification of HMA (A x B)= **\$381,900.000**

D. Price for Mobilization from Contractor's Equipment Storage Facility to Project Location = \$0.270 / Square Yard

E. Total Price for Mobilization from Contractor's Equipment Storage Facility to Project Location (D x B) = **\$25,650.000**

F. Recycling Agent (from Mix Design*) Price = \$4.200 per Gallon
*(Mix Design will be Provided by the Contractor)

Material Price Adjustment Calculation for the Month of: **April / 2022**

G. Monthly Material (Recycling Agent) Price Adjustment per Gallon = \$0.239 per Gallon

H. Recycling Agent Price with Price Adjustment (F + G) = \$4.439 per Gallon

Conversion Factor = 0.15 Gal/SqY

(For estimating purposes, all vendors to use 0.15 gal/SqY for Recycling Agent)

I. Recycling Agent Total Cost (H x (0.15 Gal/SqY) x B) = **\$63,255.750**

J. Price to HEAT, HAUL and APPLY the Recycling Agent from the Contractor's Bituminous Storage Facility to the Project Location = \$0.280 per Gallon

Conversion Factor = 0.15 Gal/SqY

(For estimating purposes, all vendors to use 0.15 gal/SqY for Recycling Agent)

K. Total Price to HEAT, HAUL and APPLY the Recycling Agent from the Contractor's Bituminous Storage Facility to the Project Location (J x (0.15 Gal/SqY) x B) = **\$3,990.000**

GROUP 31555 - AWARD 23250 - COMPREHENSIVE LIQUID BITUMINOUS MATERIALS
(Statewide)

LOT 4 - HEATER SCARIFICATION (Version 04/01/2022)

CONTRACTOR COMPLETES THIS SECTION FOR QUICK QUOTE

Project Name: Heater Scarifying Misc. Roadways Quick Quote # 0

L. Work Zone Traffic Control Price = \$0.370 / Square Yards

M. Total Price for Work Zone Traffic Control (L x B) = \$35,150.000

Price Additional Flagger(s) = _____ per Day

Number of Additional Flagger(s) = _____ Number of Days = _____

N. Total Price Additional Flagger(s) = \$0.000

Price Pilot Vehicle w/ Driver = _____ per Day

Number of Days = _____ Number of Vehicles = _____

O. Total Price Pilot Vehicle w/ Driver = \$0.000

P. OCP Insurance = _____

Project's Total Cost including all the Price Adjustments for: April / 2022

Project's Total Cost including Price Adjustment (C to P) =	\$509,945.750
--	----------------------

Can Contractor Supply? Yes

Can Contractor meet Schedule? Yes

Print Name Christine Magee

Date 4/27/22

Contractor Signature 

NOTE:

1. The user and the contractor understand that the Project's Total Cost shown above includes all the needed Price Adjustments for the month indicated (the month when the Quick Quote form was sent to the contractor). If the project (or part of the project) is executed in a different month than the one used to calculate this Quick Quote, then the Project's Total Cost will change accordingly to reflect the Price Adjustments for the Month in which the project (or part of the project) was actually performed.

2. The contractor understands that at no time may a quick quote unit price (without the Price Adjustment) exceed the contract price. Materials cost, hauling expenses, etc., can be lowered by the contractor any time during the quick quote process.

TOWN OF CARMEL HIGHWAY DEPARTMENT

(10)

Carmel Highway Department
55 McAlpin Avenue
Mahopac, NY 10541

MICHAEL SIMONE
Superintendent of Highways

845.628.7474
FAX 845.628.1471
MSimone@bestweb.net

MEMORANDUM

TO: Michael Cazzari – Town Supervisor
Town Board

FROM: Michael Simone – Highway Superintendent

DATE: May 3, 2022

RE: 2022 Highway Capital Requests

I would like to discuss the 2022 Capital Funding for the following:

Capital Drainage \$ 200,000

Capital Paving \$ 750,000

Capital Equipment \$ 600,000

- (2) NEW International 6-Wheel 4X4 Dump with plow/wing/sander
– \$300,000 each